



1.5 Yard hopper capacity
18" Troughing conveyor
1/4" Thick steel hopper
Completely self contained

3 Minute/yard load time
Honda 13 HP engine
Cement bag breaker
Portable

Enter the profitable short-load concrete business with a small investment



Specifically designed for loading concrete trailer mixers.

Low cost, simple to operate and no cleanup after loading

Service a market overlooked by ready-mix producers – sell to contractors and homeowners in the evenings and weekends when the bigger companies are closed.



Loads with a skid steer or front loader.

Hopper features welded graduations for mix calibration.

Heavy-duty 18" troughing conveyor quickly moves aggregate, sand and cement to the mixer drum.

Pictured is the optional CS-125 mini cement silo.



Heavy-duty H beam base, tubular steel side frames and fork lift staves are standard equipment on the Shortstop® Loading System.

Available in gasoline, diesel and electric power.

Optional CS-125 mini cement silo automates cement delivery to batch.

The silo is modular and can be added as your business grows!



Simple push/pull control for conveyor belt operation.

On board water meter insures consistent concrete mixtures.

Conveyor belt covered with guards for operator protection.



Direct coupled hydraulic motor powers the troughing conveyor.

No “V” belts, gear boxes or roller chains to maintain.

Cement bag breaker is standard on the Shortstop® Loading System.

Simply drop bagged cement on the knife and cement falls thru screen.

The bag breaker pivots out of the way for loading the aggregate hopper.

